

RUSLE Related Attributes

Northampton County, Virginia

Map Unit Symbol and Map Unit Name	% Comp- osition	Component	Hydrologic Group	Kw	T Factor	Representative Value		
						% Sand	% Silt	% Clay
AsE: Assateague sand, 2 to 50 percent slopes	80	Assateague	A	.10	5	93.6	1.4	5.0
	8	Bojac	---	---	---	---	---	---
	7	Munden	---	---	---	---	---	---
	5	Nimmo	---	---	---	---	---	---
AtD: Assateague fine sand, 2 to 35 percent slopes, rarely flooded	80	Assateague	A	.10	5	93.6	1.4	5.0
	8	Fisherman	---	---	---	---	---	---
	7	Camocca	---	---	---	---	---	---
	5	Chincoteague	---	---	---	---	---	---
BeB: Beaches, 0 to 10 percent slopes	75	Beaches	D	.05	5	97.9	1.6	0.5
	10	Assateague	A	---	5	---	---	---
	10	Fisherman	---	---	---	---	---	---
	5	Camocca	---	---	---	---	---	---
BhB: Bojac loamy sand, 2 to 6 percent slopes	80	Bojac	B	.17	3	85.3	9.2	5.5
	8	Dragston	C	---	4	---	---	---
	8	Seabrook	---	---	---	---	---	---
	4	Nimmo	---	---	---	---	---	---

RUSLE Related Attributes - Continued

Northampton County, Virginia

Map Unit Symbol and Map Unit Name	% Comp- osition	Component	Hydrologic Group	Kw	T Factor	Representative Value		
						% Sand	% Silt	% Clay
BkA: Bojac sandy loam, 0 to 2 percent slopes	80	Bojac	B	.24	3	63.9	30.6	5.5
	8	Dragston	C	---	4	---	---	---
	8	Seabrook	---	---	---	---	---	---
	4	Nimmo	---	---	---	---	---	---
BoA: Bojac fine sandy loam, 0 to 2 percent slopes	85	Bojac	B	.24	3	60.2	34.3	5.5
	7	Dragston	C	---	4	---	---	---
	6	Polawana	---	---	---	---	---	---
	2	Nimmo	---	---	---	---	---	---
CaA: Camocca fine sand, 0 to 2 percent slopes, frequently flooded	75	Camocca	A/D	.10	5	97.3	0.7	2.0
	8	Assateague	A	---	5	---	---	---
	8	Fisherman	---	---	---	---	---	---
	5	Beaches	---	---	---	---	---	---
	4	Chincoteague	---	---	---	---	---	---
ChA: Chincoteague silt loam, 0 to 1 percent slopes, frequently flooded	85	Chincoteague	D	.32	5	9.5	68.0	22.5
	5	Magotha	---	---	---	---	---	---
	5	Tidal flat	---	---	---	---	---	---

RUSLE Related Attributes - Continued

Northampton County, Virginia

Map Unit Symbol and Map Unit Name	% Comp- osition	Component	Hydrologic Group	Kw	T Factor	Representative Value		
						% Sand	% Silt	% Clay
ChA: Chincoteague silt loam, 0 to 1 percent slopes, frequently flooded	3	Camocca	---	---	---	---	---	---
	2	Nimmo	---	---	---	---	---	---
DrA: Dragston fine sandy loam, 0 to 2 percent slopes	80	Dragston	C	.20	4	65.0	27.0	8.0
	10	Bojac	---	---	---	---	---	---
	5	Polawana	---	---	---	---	---	---
	5	Seabrook	---	---	---	---	---	---
FhB: Fisherman fine sand, 0 to 6 percent slopes, occasionally flooded	75	Fisherman	D	.10	5	94.4	0.6	5.0
	10	Assateague	A	---	5	---	---	---
	5	Beaches	---	---	---	---	---	---
	5	Camocca	---	---	---	---	---	---
	5	Chincoteague	---	---	---	---	---	---
FmD: Fisherman-Assateague complex, 0 to 35 percent slopes, rarely flooded	45	Fisherman	D	.10	5	94.4	0.6	5.0
	40	Assateague	A	.10	5	93.6	1.4	5.0
	5	Beaches	---	---	---	---	---	---
	5	Camocca	---	---	---	---	---	---
	5	Chincoateague	---	---	---	---	---	---

RUSLE Related Attributes - Continued

Northampton County, Virginia

Map Unit Symbol and Map Unit Name	% Comp- osition	Component	Hydrologic Group	Kw	T Factor	Representative Value		
						% Sand	% Silt	% Clay
FrB: Fisherman-Camocca complex, 0 to 6 percent slopes, frequently flooded	45	Fisherman	D	.10	5	94.4	0.6	5.0
	35	Camocca	A/D	.10	5	97.3	0.7	2.0
	10	Assateague	A	---	5	---	---	---
	5	Beaches	---	---	---	---	---	---
	5	Chincoteague	---	---	---	---	---	---
MaA: Magotha fine sandy loam, 0 to 2 percent slopes, frequently flooded	75	Magotha	D	.28	5	62.8	19.2	18.0
	10	Chincoteague	---	---	---	---	---	---
	8	Nimmo	---	---	---	---	---	---
	7	Munden	---	---	---	---	---	---
MoD: Molena loamy sand, 6 to 35 percent slopes	85	Molena	A	.10	5	79.6	15.9	4.5
	8	Munden	---	---	---	---	---	---
	7	Polawana	---	---	---	---	---	---
MuA: Munden sandy loam, 0 to 2 percent slopes	80	Munden	B	.20	4	66.6	23.4	10.0
	8	Molena	---	---	---	---	---	---
	7	Nimmo	---	---	---	---	---	---
	5	Polawana	---	---	---	---	---	---

RUSLE Related Attributes - Continued

Northampton County, Virginia

Map Unit Symbol and Map Unit Name	% Comp- osition	Component	Hydrologic Group	Kw	T Factor	Representative Value		
						% Sand	% Silt	% Clay
NmA: Nimmo sandy loam, 0 to 2 percent slopes	80	Nimmo	D	.20	4	67.4	23.6	9.0
	8	Bojac	---	---	---	---	---	---
	7	Munden	---	---	---	---	---	---
	5	Seabrook	---	---	---	---	---	---
PoA: Polawana loamy sand, 0 to 2 percent slopes, occasionally flooded	80	Polawana	A/D	.10	5	83.8	9.2	7.0
	8	Molena	---	---	---	---	---	---
	7	Bojac	---	---	---	---	---	---
	5	Chincoteague	---	---	---	---	---	---
SeA: Seabrook loamy sand, 0 to 2 percent slopes	80	Seabrook	C	.10	5	83.8	9.2	7.0
	12	Bojac	---	---	---	---	---	---
	8	Nimmo	---	---	---	---	---	---
UPD: Udorthents and Udipsamments soils, 0 to 30 percent slopes	40	Udorthents	---	---	---	---	---	---
	35	Udipsamments	A	.10	5	93.2	1.3	5.5
	5	Bojac	---	---	---	---	---	---
	5	Chicoteague	---	---	---	---	---	---
	5	Magotha	---	---	---	---	---	---

RUSLE Related Attributes - Continued

Northampton County, Virginia

Map Unit Symbol and Map Unit Name	% Comp- osition	Component	Hydrologic Group	Kw	T Factor	Representative Value		
						% Sand	% Silt	% Clay
UPD: Udorthents and Udipsamments soils, 0 to 30 percent slopes	5	Nimmo	---	---	---	---	---	---
	5	Polawana	---	---	---	---	---	---
W: Water, less than 40 acres	100	Water	---	---	---	---	---	---